



AGRICULTURE



FT-151 LED

FT-151 LED LED beacon, yellow lens,
3 types of flash pattern available:

- single
- double
- rotary

Operating voltage range 12-36V DC.

**4 mounting options:**

- mounted with **3 screws** with a 1.5 m long cable
- on a **magnetic base** with a 12/24 V cigarette lighter plug with spiral cable length max. 3.0m
- on a **magnetic base** with a 12/24 V cigarette lighter plug with spiral cable length max. 7.8m
- on the mounting **pin**
- mounted on a **central screw** with a cable.





FT-200 LED

LED strobe light,
the lamp implements
6 different flash programs.
Operating voltage range
12-36V DC.



FT-210 LED

LED strobe light,
the lamp implements
3 different flash programs.
Operating voltage range
12-36V DC.






FT-360 LED

LED work lamp,
wide beam flux (illumination
of close working zones),
power 4100 lm.
Light color temperature - 5700 K.
Operating voltage range 12-36V DC.



FT-361 LED

LED work lamp,
concentrated luminous flux
(far illumination working field,
power 4100 lm.
Light color temperature - 5700 K.
Operating voltage range 12-36V DC.





FT-036 LED ALU 2800

LED work lamp,
wide beam flux, power 2800 lm.
Light color temperature - 5700 K.
Operating voltage range 12-36V DC.



FT-036 LED

LED work lamp,
real luminous flux 1800 lm.
The lamp is ADR certified.
Operating voltage range 12-36V DC.






FT-213 LED

Universal LED rear lamp,
3-function,
dynamic direction indicator.
Operating voltage range 12-36V DC.



FT-320 LED

Universal LED rear lamp,
3-function,
dynamic direction indicator.
Operating voltage range 12-36V DC.



FT-230 LED

Universal LED rear lamp,
6-function,
dynamic direction indicator.
Operating voltage range 12-36V DC.



FT-222 LED

LED rear lamp
3-function.
Operating voltage range 12-36V DC.




FT-130 LED

Universal LED rear lamp,
6-function.
NEON position light.
Operating voltage range 12-36V DC.



FT-122 LED

LED rear lamp
3-function.
NEON position light.
Operating voltage range 12-36V DC.



FT-610 LED

Universal LED rear lamp
with a reflective triangle,
7-function,
dynamic direction indicator.
Operating voltage range 12-36V DC.





FT-370 LED

Universal LED rear lamp
with a reflective triangle,
7-function. Lamp version
FT-370 LED BAYONET 6 PIN
with CANBUS system.

Operating voltage range 12-36V DC.
(FT-370 LED O: 12-15V DC).

Canbus



FT-270 LED

Universal LED rear lamp
with a reflective triangle,
5-function. Lamp version
FT-270 LED O BAJONET 5 PIN
with CANBUS system.

Operating voltage range 12-15V DC.

IP 68






FT-072 LED

LED marker lamp with reflector.
No visible elements connecting the lamp with the body (click in system).
Operating voltage range 12-36V DC.



FT-061 LED

LED marker lamp with reflector.
Installation is possible both vertically and horizontally.
Operating voltage range 12-36V DC.



FT-070 LED

LED marker lamp with reflector.
Lamps can be used in vehicles transporting dangerous goods and materials.
Operating voltage range 12-36V DC.



FT-018 LED

LED marker lamp with reflector.
Operating voltage range 12-36V DC.



FT-020 LED

LED marker lamp with reflector.
Operating voltage range 12-36V DC.



FT-009 LED

LED marker lamp 2-function.
It has a universal replaceable insert.
Operating voltage range 12-36V DC.



FT-140 LED

LED marker lamp 3-function, three-color light (white-yellow-red).
Operating voltage range 12-36V DC.



FT-141 LED

LED marker lamp 2-function.
Hanging, on a rubber arm.
Operating voltage range 12-36V DC.



FT-073 LED

LED marker lamp 1-function. It is available in five colors: white, yellow, red, green and blue.
Operating voltage range 12-36V DC.





FT-125 LED

LED indicator lamp,
2-function, front with **NEON**
position light and indicator light.
Operating voltage range
12-36V DC.



FT-225 LED

LED indicator lamp,
2-function, front with
position light and indicator light.
Operating voltage range 12-15V DC.



FT-260 LED

LED license plate lamp,
1-function.
Operating voltage range
12-36V DC.



FT-262 LED

LED license plate lamp,
1-function.
Operating voltage range
12-36V DC.



FT-016 LED

LED license plate lamp
1-function.
Operating voltage range
12-36V DC.



FT-263 LED

LED license plate lamp,
1-function.
Operating voltage range
12-36V DC.



FT-031 LED

LED license plate lamp,
1-function.
Operating voltage range
12-36V DC.



FT-031 A LED

Lampa oświetlenia
tablicy rejestracyjnej LED
1-function ze światłem pozycyjnym.
Operating voltage range 12-36V DC.

... all you need is light

Carbus



FT-371 LED

Universal LED rear lamp
with a reflective triangle,
3-function.

NEON position light.

Operating voltage range 12-15V DC.



Fristom

WWW



FRISTOM

Spółka z ograniczoną odpowiedzialnością Sp. k.

POLAND

ul. Przemysłowa 5, 86-014 Sicienko